



www.insulbar.com

Standard Programme

1/2014



→ New standard profile
 → System groups

2011 → Profile numbers
 3.800 → approx. pcs à 6000 mm / Ensinger box

10 mm	12 mm	13,4 mm	13,5 mm	14 mm	14,6 mm			14,8 mm	
2530 5.000	2192 5.200	2014 3.800	2156 3.500	1044 4.800	1910 4.500	2045 3.000		2102 4.200	2237 4.200
	1142 5.000			2104 2.200	2046 4.500	1674 3.000		2186 4.800	2134 2.500
	2531 4.500				0818 4.500	1884 3.000		0508 4.200	0785 3.000
					0480 4.500			2440 3.650	1090 3.000
					2028 3.500			1946 3.500	2167 2.500











































15 mm	16 mm			17 mm		18 mm		
1754 4.200	1928 3.800	1864 3.800	1866 2.900	2250 2.800		1987 2.800	2797 3.550	3122 1.700
2196 3.650	1945 3.200	2634 4.000	2635 1.600	2262 2.800		2154 2.700	2379 2.800	2594 2.500
	1947 2.800	2103 3.800	2189 2.300	2263 2.800		1988 2.500	2593 2.500	
	1927 2.900	1532 3.200	2375 2.100	1918 2.800		2098 2.500	2444 3.000	
	1989 2.900	2423 3.200	2376 2.800	1919 2.800		2111 2.900	2063 2.500	



→ New standard profile
 → System groups

2011 → Profile numbers
 3.800 → approx. pcs à 6000 mm / Ensinger box

18,6 mm		20 mm		21 mm	22 mm		23,9 mm	24 mm	
1926 3.000	2793 1.400	1220 2.900	3199 1954	1136 2.700	2202 2.800	2285 2.800	0292 2.400	2206 2.500	1922 2.200
1991 3.000	1418 2.500	2078 2.600	2016 2.400		2204 1.700	0749 2.400	0403 2.000	2279 2.200	1921 2.200
0838 3.000	0346 2.500	1673 2.600			2203 2.100	2062 2.400		2432 2.100	2268 2.200
2126 2.800		3062 3289			2049 2.600	0750 2.200		2331 2.200	1920 2.200
2305 2.500		2031 2.400			0748 2.500	2380 1.900		2267 2.200	

24 mm						25 mm		26 mm	27 mm
									
2884 2.800	2424 2.500	3020 1.300	2632 1.100	2426 1.800	2395 2.100	2050 2.200	0516 2.400	2006 2.200	2883 2.200
									
0839 3.100	2794 2.300	3149 2.355	2200 2.200	2191 1.800	1392 1.350	2155 2.400	2311 2.400	1186 2.200	
									
2633 2.700	2199 2.500	3148 1.520	2396 2.000	2425 2.200	2316 2.200	2051 2.200	0859 2.000	2535 1.700	
									
1707 2.200	1619 2.200	1498 2.200	2165 1.700	3021 1.500		1058 2.400		0382 2.000	
									
3023 2.500	1393 2.300	2214 2.800	3024 1.320	1750 2.200		2106 2.100		1993 1.500	



→ New standard profile
 → System groups

2011 → Profile numbers
 3.800 → approx. pcs à 6000 mm / Ensinger box

28 mm		30 mm	31,8 mm	31,9 mm	32 mm		34 mm		
2007 1.900	2614 1.500	1729 1.900		0774 1.600	0724 1.600	2246 1.600		2765 1.400	3123 1.760
2198 2.600	2515 616	2080 1.600		1651 1.500	0725 1.800	2631 1.600		2857 950	1861 1.200
2795 2.300		2383 1.400		0773 1.500	0726 1.400	2361 1.400		2856 750	1650 1.800
1669 1.700					0758 1.400			2855 600	
2796 1.150					2638 1.400			1885 1.400	

Ensinger Germany

Ensinger GmbH
Rudolf-Diesel-Str. 8
71154 Nufringen
Tel. +49 (0) 7032 819 0
Fax +49 (0) 7032 819 270
E-Mail insulbar@ensinger-online.com

Ensinger worldwide**China**

Ensinger (China) Co., Ltd.
1F, Building A3
No. 1528 Gumei Road
Shanghai 200233
Tel. +86 21 522 851 11
Fax +86 21 522 852 22
E-Mail info@ensinger-china.com

Italy

Ensinger S.R.L.
Via Franco Tosi 1/3
20020 Olcella di Busto Garolfo
Tel. +39 (0) 331 568 348
Fax +39 (0) 331 567 822
E-Mail insulbar@ensinger.it

Spain

Ensinger S.A.
Girona, 21-27
08120 La Llagosta
Tel. +34 902 10 19 16
Fax +34 93 574 27 30
E-Mail insulbar@ensinger.es

United Kingdom

Ensinger Building Products Ltd.
Wilfried Way
Tonyrefail
Mid Glamorgan
CF39 8JQ
Tel. +44 (0) 1443 678 400
Fax +44 (0) 1443 671 153
E-Mail ebp@ensinger.co.uk

USA

Ensinger Inc.
1 Main St.
Grenloch, NJ 08032
Tel. +1 856 227 0500
Fax +1 856 232 1754
E-Mail insulbar@ensinger-ind.com

