


Sky alzante singolo



SINGLE FOR LIFT-SLIDE WINDOWS



misure in mm - sizes in mm

DIMENSIONI - SPESSORI / DIMENSIONS - THICKNESSES			
L	H	ST	SE
600 ÷ 1500	800 ÷ 2700	125	224
CALCOLO INGOMBRO CONTROTELAIO - Formula CALCULATION OF THE POCKET FRAME OVERALL DIMESIONS - Formulation			
$Z = (L \times 2) + 160$		$HT = H + 110$	


Esempio di calcolo degli ingombri Example of calculation of the overall dimensions	
$L = 900 \text{ mm}$	$H = 2100$
Applico la formula / Make the calculation	
$Z = (900 \times 2) + 160 = 1960 \text{ mm}$	
$HT = 2100 + 110 = 2210 \text{ mm}$	

NOTE TECNICHE
Misure intermedie con variazioni L e H di 50 mm.
Non utilizzare serramenti per alzante scorrevoli con spessori (SP) superiori a 68 mm.
La ferramenta necessaria per l'installazione dell'alzante scorrevole non è in dotazione.

TECHNICAL INFORMATION
Intermediate size L and H in increments of 50 mm.
For this system use lift-slide windows up to 68 mm thick (SP).
The ironware needed for the lift-slide window is not supplied.

Sky alzante doppio

DOUBLE FOR LIFT-SLIDE WINDOWS



misure in mm - sizes in mm

DIMENSIONI - SPESSORI / DIMENSIONS - THICKNESSES			
L	H	ST	SE
1200 (600+600) ÷ 3000 (1500+1500)	800 ÷ 2700	125	224
CALCOLO INGOMBRO CONTROTELAIO - Formula CALCULATION OF THE POCKET FRAME OVERALL DIMESIONS - Formulation			
$Z = (L \times 2) + 160$		$HT = H + 110$	

Esempio di calcolo degli ingombri Example of calculation of the overall dimensions	
$L = 1400 \text{ mm}$	$H = 2000$
Applico la formula / Make the calculation	
$Z = (1400 \times 2) + 160 = 2960 \text{ mm}$	
$HT = 2000 + 110 = 2110 \text{ mm}$	

NOTE TECNICHE
Misure intermedie con variazioni L e H di 50 mm.
Non utilizzare serramenti per alzante scorrevoli con spessori (SP) superiori a 68 mm.
La ferramenta necessaria per l'installazione dell'alzante scorrevole non è in dotazione.

TECHNICAL INFORMATION
Intermediate size L and H in increments of 50 mm.
For this system use lift-slide windows up to 68 mm thick (SP).
The ironware needed for the lift-slide window is not supplied.